









Socket

Product Selection & Dimension

unit : mm










	Part Number (Color)	Certification	Relay	Torque	Dimension
	KYF-08-PU	 	K705-2PL 505-2P HR705-2P	-	
	KYF-14-PU	 	K705-4PL 505-4P HR705-4P	-	
	KPX-05-PU	 	K706-1PL	-	
	KPX-08-PU	 	K706-2PL	-	
	KPY2 (White)	 	505-2P	0.5N·m	
	KPY4 (White)	 	505-4P	0.5N·m	

※ The number in () is the terminal number of the relay.

Socket

Product Selection & Dimension









unit : mm

	Part Number (Color)	Certification	Relay	Torque	Dimension
 Varistor	KPY-M		KPY-M1 24VDC/AC KPY-M2 110VDC/AC KPY-M3 220VDC/AC KPY socket		
 Diode	KPY-D		6 ~ 250VDC KPY socket		
 Color □ : C,K,R,B	KPX-S02□ Color □ : C,K,R,B				
 Color □ : C,K,R,B	KYF-S02□ Color □ : C,K,R,B				
	KPX-S20C				
	KMY2		505-2P HR705-2P	0.5N·m	
	KMY4 (R, G, Y, B, Amber, Black(Basic))		505-4P HR705-4P	0.5N·m	
	KLY2		HR710-2P	0.8N·m	

Socket




















Product Selection & Dimension

unit : mm

	Part Number (Color)	Certification	Relay	Torque	Dimension
	KLY4	 	HR710-4P	0.8N·m	 (TOP VIEW)
	KTF14A	 	HR710-4P	0.8N·m	 (TOP VIEW)
	KF083A	 	HR707N-2P TTS	0.8N·m	 (TOP VIEW)
	KF113A	 	HR707N-3P	0.8N·m	 (TOP VIEW)
	KPZ2	 	HR707N-2P TTL TTS	0.5N·m	 (TOP VIEW)
	KPZ3	 	HR707N-3P	0.5N·m	 (TOP VIEW)

Product Selection & Dimension





















unit : mm

Part Number (Color)	Certification	Relay	Dimension
	 	505-2PL HR705-2P Soldering	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C Board Pattern SCALE 2 : 1
	 	HR705-3P Soldering	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C Board Pattern SCALE 2 : 1
	 	505-4P HR705-4P Soldering	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C Board Pattern SCALE 2 : 1
	 	505-2P HR705-2P PCB Type	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C Board Pattern SCALE 2 : 1
	 	HR705-3P PCB Type	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C Board Pattern SCALE 2 : 1
	 	505-4P HR705-4P PCB Type	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C Board Pattern SCALE 2 : 1

Socket








Product Selection & Dimension

unit : mm

	Part Number (Color)	Certification	Relay	Torque	Dimension
	KT08	CE	HR710-2P Soldering	-	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C. Board Pattern SCALE 2 : 1
	KT08-0	CE cULus	HR710-2P PCB Type	-	   < TOP VIEW > DETAIL A SCALE 5 : 1 P.C. Board Pattern SCALE 2 : 1
	K2CF08	CE cULus	TTL	0.8N·m	   (TOP VIEW)
	K2CF08K	CE	Floatless, FLR	0.8N·m	   (TOP VIEW)
	TAS (White)		TA-1a		  
	TRS (White)		TR-1a		  

Product Selection & Dimension












unit : mm

	Part Number (Color)	Certification	Relay	Torque	Dimension
	KMY4S G (Green)		50S-4P HR70S-4P	0.5N·m	 
	KPY4		50S-4P HR70S-4P 납땜용	-	 
	K2BF08		TTL	0.8N·m	 

Socket








Product Selection & Dimension

unit : mm

	Part Number (Color)	Certification	Relay	Torque	Dimension		
	KPX11		-	0.5N·m			
	KPX1		-	0.5N·m			
	KPX12		K706-1PL	0.5N·m			
	KPX13		K706-1PL Soldering	-			

Product Selection & Dimension

unit : mm

	Part Number (Color)	Certification	Relay	Torque	Dimension		
	KPX21		-	0.5N·m			
	KPX2		-	0.5N·m			
	KPX22		K706-2PL	0.5N·m			
	KPX23		K706 -2PL Soldering	-	